

Spartan Mid Range - Audio



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:

Raytel House, Brook Road, Rayleigh, Essex SS6 7XH. England.

Sales: 01268 749310 Technical: 01268 749311 General: 01268 749312 Fax: 01268 749315

Northern Office:

Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU

Tel: 0141 332 4232 Fax: 0141 332 6952

www.raytelsecurity.co.uk

Surface Panel Fold Depth:	52mm
Flush / Flanged Backbox Sizes:	254 x 110 x 50mm / 306 x 151 x 50mm
Speech Unit Type:	930 Series
Call Buttons:	Functional

Notes:-

All Spartan Mid Range Panels are available without curved top and bottom to special order (Suffix 'R')

Flange Size: 344 x 171mm

Engraving Lettering Height: Instructions - 4mm, Button Numbers - 6mm

SMA1-SMA16

294 x 130mm

SMA1L-SMA8L

294 x 130mm

SMA1E-SMA8E

294 x 130mm

SMAEL

294 x 130mm

SMA1P-SMA4P

294 x 130mm

SME1-SME24

294 x 130mm

SMA16S

274 x 130mm



Standard Audio.

With LCD message display (ISO-K only).

With PAC Easykey.

With PAC Easykey and LCD message display (ISO-K only).

With Standard PAC reader.

Extension Panel.

*Outline for folded surface panel with internal backbox.
(also available as flushpanel with optional external surface-mounted back box)*

Spartan Mid Range - Video

Surface Panel Fold Depth:	52mm
Flush / Flanged Backbox Sizes:	254 x 110 x 50mm / 306 x 151 x 50mm
Camera/Speech Unit Type:	559 Series
Call Buttons:	Functional

Notes:-
 All Spartan Mid Range Panels are available without curved top and bottom to special order (Suffix 'R')
 Flange Size: 344 x 171mm
 Engraving Lettering Hight: Instructions - 4mm, Button Numbers - 6mm



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:
 Raytel House, Brook Road, Rayleigh, Essex SS6 7XH. England.
Sales: 01268 749310 **Technical:** 01268 749311 **General:** 01268 749312 **Fax:** 01268 749315

Northern Office:
 Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU
Tel: 0141 332 4232 **Fax:** 0141 332 6952

www.raytelsecurity.co.uk

SMV1-SMV12
294 x 130mm

SMV1L_SMV4L
294 x 130mm

SMV1E-SMV4E
294 x 130mm

SMVP
294 x 130mm

SME1-SME24
294 x 130mm

SMV12S
274 x 130mm



Standard Audio with infra-red or colour camera.

With LCD message display (ISO-K only).

With PAC Easykey reader.

With Standard PAC reader.

Extension Panel.

Outline for folded surface panel with internal backbox. (also available as flushpanel with optional external surface-mounted back box)

Spartan Large Range - Audio



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:

Raytel House, Brook Road, Rayleigh, Essex SS6 7XH. England.

Sales: 01268 749310 Technical: 01268 749311 General: 01268 749312 Fax: 01268 749315

Northern Office:

Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU

Tel: 0141 332 4232 Fax: 0141 332 6952

www.raytelsecurity.co.uk

Surface Panel Fold Depth:	52mm
Flush / Flanged Backbox Sizes:	310 x 110 x 50mm / 361 x 151 x 50mm
Speech Unit Type:	930 Series
Call Buttons:	Functional

Notes:-

All Spartan Large Range Panels are available without curved top and bottom to special order (Suffix 'R')

Flange Size: 401 x 171mm

Engraving Lettering Height: Instructions - 4mm, Button Numbers - 6mm

SLA1-SLA24

350 x 130mm

SLA1L-SLA16L

350 x 130mm

SLA1E-SLA16E

350 x 130mm

SLA1EL-SLA8EL

350 x 130mm

SLA1P-SLA12P

350 x 130mm

SLA1PL-SLA4PL

350 x 130mm

SLE1-SLE32

350 x 130mm

SLA24S

330 x 130mm



Standard Audio.

With LCD message display (ISO-K only).

With PAC Easykey reader.

With PAC Easykey reader and LCD message display (ISO-K only).

With Standard PAC reader.

With Standard PAC reader and LCD message display (ISO-K only).

Extension Panel.

Outline of folded surface panel.

Spartan Large Range - Video

Surface Panel Fold Depth:	52mm
Flush / Flanged Backbox Sizes:	310 x 110 x 50mm / 361 x 151 x 50mm
Camera/Speech Unit Type:	559 Series
Call Buttons:	Functional

Notes:-
 All Spartan Large Range Panels are available without curved top and bottom to special order (Suffix 'R')
 Flange Size: 401 x 171mm
 Engraving Lettering Height: Instructions - 4mm, Button Numbers - 6mm



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:
 Raytel House, Brook Road, Rayleigh, Essex SS6 7XH. England.
Sales: 01268 749310 **Technical:** 01268 749311 **General:** 01268 749312 **Fax:** 01268 749315

Northern Office:
 Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU
Tel: 0141 332 4232 **Fax:** 0141 332 6952

www.raytelsecurity.co.uk

SLV1-SLV20
350 x 130mm

SLV1L-SLV12L
350 x 130mm

SLV1E-SLV12E
350 x 130mm

SLV1EL-SLV4EL
350 x 130mm

SLV1P-SLV8P
350 x 130mm

SLVPL
350 x 130mm

SLE1-SLE32
350 x 130mm

SLV20S
330 x 130mm



Standard Video.

With LCD message display (ISO-K only).

With PAC Easykey reader.

With PAC Easykey reader and LCD message display (ISO-K only).

With Standard PAC reader.

With Standard PAC reader and LCD message display (ISO-K only).

Extension Panel.

Outline of folded surface panel.

Spartan Grand Range - Digibus Audio



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:

Raytel House, Brook Road, Rayleigh, Essex SS6 7XH, England.

Sales: 01268 749310 **Technical:** 01268 749311 **General:** 01268 749312 **Fax:** 01268 749315

Northern Office:

Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU

Tel: 0141 332 4232 **Fax:** 0141 332 6952

www.raytelsecurity.co.uk

Surface Panel Fold Depth:	70mm
Flush / Flanged Backbox Sizes:	355 x 180 x 70mm / 416 x 221 x 67mm
Speech Unit Type:	Built-in
Call Buttons:	Digital

Notes:-

All Spartan Large Range Panels are available without curved top and bottom to special order (Suffix 'R')

Flange Size: 456 x 434 x 240mm

Engraving Lettering Height: 6mm

Proximity Reader electronics fitted to back box

SGA944

405 x 200mm

SGA944E

405 x 200mm

SGA944P

405 x 200mm



**944 Audio panel with
LCD number display**

**944 Audio panel with
PAC Easikey reader and
LCD number display**

**944 Audio panel with
standard PAC reader and
LCD number display**

Spartan Grand Range - Digibus Audio



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:

Raytel House, Brook Road, Rayleigh, Essex SS6 7XH, England.

Sales: 01268 749310 Technical: 01268 749311 General: 01268 749312 Fax: 01268 749315

Northern Office:

Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU

Tel: 0141 332 4232 Fax: 0141 332 6952

www.raytelsecurity.co.uk

Surface Panel Fold Depth:	70mm
Flush / Flanged Backbox Sizes:	355 x 180 x 70mm / 416 x 221 x 67mm
Speech Unit Type:	Built-in
Call Buttons:	Digital or Functional

Notes:-

All Spartan Large Range Panels are available without curved top and bottom to special order (Suffix 'R')

Flange Size: 456 x 434 x 240mm

Engraving Lettering Height: 6mm

Proximity Reader electronics fitted to back box

SGA942

405 x 200mm

SGA942E

405 x 200mm

SGA942P

405 x 200mm

SGA943-1 to -20

405 x 200mm

SGA943E-1 to -16

405 x 200mm

SGA943P-1 to -14

405 x 200mm



942 Audio panel with LED number display

942 Audio panel with PAC Easikey reader and LED number display

942 Audio panel with standard PAC reader and LED number display

Functional Dial 942 Audio panel with Engaged indicator lamp

Functional Dial 942 Audio panel with PAC Easikey reader and Engaged indicator lamp

Functional Dial 942 Audio panel with standard PAC reader and Engaged indicator lamp

Spartan Grand Range - Digibus Video



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:

Raytel House, Brook Road, Rayleigh, Essex SS6 7XH, England.

Sales: 01268 749310 **Technical:** 01268 749311 **General:** 01268 749312 **Fax:** 01268 749315

Northern Office:

Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU

Tel: 0141 332 4232 **Fax:** 0141 332 6952

www.raytelsecurity.co.uk

Surface Panel Fold Depth:	70mm
Flush / Flanged Backbox Sizes:	355 x 180 x 70mm / 416 x 221 x 67mm
Speech Unit Type:	Built-in
Call Buttons:	Digital

Notes:-

All Spartan Large Range Panels are available without curved top and bottom to special order (Suffix 'R')

Flange Size: 456 x 434 x 240mm

Engraving Lettering Height: 6mm

Proximity Reader electronics fitted to back box

SGA947

405 x 200mm

SGA947E

405 x 200mm

SGA947P

405 x 200mm



*947 Video panel with
LCD message display*

*947 Video panel with
PAC Easikey reader and
LCD message display*

*947 Video panel with
standard PAC reader and
LCD message display*

Spartan Grand Range - Digibus Video



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:

Raytel House, Brook Road, Rayleigh, Essex SS6 7XH, England.

Sales: 01268 749310 Technical: 01268 749311 General: 01268 749312 Fax: 01268 749315

Northern Office:

Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU

Tel: 0141 332 4232 Fax: 0141 332 6952

www.raytelsecurity.co.uk

Surface Panel Fold Depth:	70mm
Flush / Flanged Backbox Sizes:	355 x 180 x 70mm / 416 x 221 x 67mm
Speech Unit Type:	Built-in
Call Buttons:	Digital or Functional

Notes:-

All Spartan Large Range Panels are available without curved top and bottom to special order (Suffix 'R')

Flange Size: 456 x 434 x 240mm

Engraving Lettering Height: 6mm

Proximity Reader electronics fitted to back box

SGV946

405 x 200mm

SGV946E

405 x 200mm

SGV946P

405 x 200mm

SGV9435-1 to -20

405 x 200mm

SGV9435E-1 to -16

405 x 200mm

SGV9435P-1 to -14

405 x 200mm



946 Video panel with LED number display

946 Video panel with PAC Easikey reader and LED number display

946 Video panel with standard PAC reader and LED number display

Functional Dial 9435 Video panel with Engaged indicator lamp

Functional Dial 9435 Video panel with PAC Easikey reader and Engaged indicator lamp

Functional Dial 9435 Video panel with standard PAC reader and Engaged indicator lamp

Spartan Grand Range - ISO D Audio

Surface Panel Fold Depth:	70mm
Flush / Flanged Backbox Sizes:	355 x 180 x 70mm / 416 x 221 x 67mm
Speech Unit Type:	930 Series
Call Buttons:	Digital

Notes:-
 All Spartan Large Range Panels are available without curved top and bottom to special order (Suffix 'R')
 Flange Size: 456 x 434 x 240mm
 Engraving Lettering Height: 6mm
 Proximity Reader electronics fitted to back box



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:
 Raytel House, Brook Road, Rayleigh, Essex SS6 7XH. England.
Sales: 01268 749310 **Technical:** 01268 749311 **General:** 01268 749312 **Fax:** 01268 749315

Northern Office:
 Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU
Tel: 0141 332 4232 **Fax:** 0141 332 6952

www.raytelsecurity.co.uk

SGA13

405 x 200mm

SGA13E

405 x 200mm

SGA13P

405 x 200mm

SGA19

405 x 200mm



Audio panel with LED message display

Audio panel with PAC Easikey reader and LED message display

Audio panel with standard PAC reader and LED message display

Alpha/numeric audio panel with LED message display

Spartan Grand Range - ISO D Video

Surface Panel Fold Depth:	70mm
Flush / Flanged Backbox Sizes:	355 x 180 x 70mm / 416 x 221 x 67mm
Camera/Speech Unit Type:	559 Series
Call Buttons:	Digital

Notes:-
 All Spartan Large Range Panels are available without curved top and bottom to special order (Suffix 'R')
 Flange Size: 456 x 434 x 240mm
 Engraving Lettering Height: 6mm
 Proximity Reader electronics fitted to back box



RAYTEL SECURITY SYSTEMS LIMITED

Southern Office:
 Raytel House, Brook Road, Rayleigh, Essex SS6 7XH. England.
Sales: 01268 749310 **Technical:** 01268 749311 **General:** 01268 749312 **Fax:** 01268 749315

Northern Office:
 Unit 3, Block 5, Oakbank Industrial Estate, Garscube Road, Glasgow G20 7LU
Tel: 0141 332 4232 **Fax:** 0141 332 6952

www.raytelsecurity.co.uk

SGV13

405 x 200mm

SGV13E

405 x 200mm

SGV13P

405 x 200mm

SGV19

405 x 200mm



*Video panel with
LED message display*

*Video panel with
PAC Easikey reader and
LED message display*

*Video panel with
standard PAC reader and
LED message display*

*Alpha/numeric video
panel with LED message
display*